

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 27, 2013

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-9500538, issued to TRIAD HUNTER, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

Chief

James Martin

Operator's Well No: J.T.A. HAWKINS #8

Farm Name: MARTIN, RONALD D. & SANDRA

API Well Number: 47-9500538

Permit Type: Plugging
Date Issued: 12/27/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date September 19 ,	20 13
2) Operator's	
Well No. J.T.A. Hawkins #8	
3) API Well No. 47-095	- 0538

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	ADDITION FOR A DEPA	AIT TO PLUG AND ABANDON
4)	Well Type: Oil X / Gas X / Liquid	
5)	Location: Elevation 886' District Ellsworth 07-	Watershed Elk Fork County Tyler 95 Quadrangle Porters Falls 55
6)	Well Operator Address Address Triad Hunter LLC 125 Putnam Street Marietta, Ohio 45750	7) Designated Agent Kimberly Arnold Address P.O. Box 154 Waverly, WV
8)	Oil and Gas Inspector to be notified Name Joe Taylor Address 497 Claylick Road Ripley, WV 25271	9) Plugging Contractor Name Address
	Work Order: The work order for the mann (SEE ATTACHMENT)	
	fication must be given to the district of can commence.	il and gas inspector 24 hours before permitted
Work	order approved by inspector	Office of Oitend 183513
	/	OCT 3 0 2013

AFTER STEP 2 PROCEED TO PROPENDUM PLUGGING PROCEEDURE

ELK FORK FIELD

Ellsworth District, Tyler County

- 1. MIRU service rig, dig flow back pit, and remove pumping unit if necessary.
- 2. Pull tubing and rods OOH and clean hole to total depth.
- 3. Run 2 3/8" 8rnd tubing to the base of the shot hole or pay zone.
- 4. Mix/Pump 75 sacks Class A Cement, ¼ lb. flocele/sk., 1% CaCl, through the tubing into the shot hole (Plug # 1 88.5 cu.ft.).
- 5. Pull tubing up to 1,000 feet and shut down for the day.
- 6. Lower tubing and tag the top of the cement plug. Mix additional cement to cover the shot hole if necessary.
- 7. Pull casing (53/16", 61/4", 65/8") OOH, or cut-off / shoot apart casing around 500-feet above the Keener Formation or pay zone and pull it OOH.
- 8. RIH with 2 3/8" 8rnd tubing to the top of the cut-off casing or 500 feet above the Keener Fm./pay-zone.
- 9. Mix/Pump 60 sacks Class A Cement, ¼ lb. flocele/sk., 1% CaCl through the tubing into the annulus (Plug # 2 68 cu.ft., 200' lin. ft.).
- 10. Pull tubing up-hole to set surface hole plug as follows: (Assume Hole Size = 10")

(Elevation)	(Plug Depth)	(Cement Required)	(Cubic Feet)
Below 800 feet	100'	50 sacks	54.5
800' to 900'	150'	70 sacks	82.0
900' to 1,000'	200'	95 sacks	109.0
Over 1,000 feet	250'	116 sacks	136.5

- 11. Mix/Pump (Plug # 3) the surface hole plug with Class A Cement, ¼ lb. flocele/sk., 1% CaCl, through the tubing until cement is circulated to surface. Pull tubing OOH.
- 12. **Top load hole with Class A Cement** and install monument casing so that it is 3' above ground level.
- 13. Weld identification plate on monument pipe and fill monument pipe with Class A Cement.
- 14. RDMO service rig and surface equipment.
- 15. Reclaim well site and lease road.

Note! Mix / Pump gel spacers between all cement plugs.

POLL 6 1/8" CASING OOH, OL CUTOFF/SHOOT APART CASING AROUD 1700; AND PULL OUT OF HOLE.

RECEIVED
Office of Oil and Gas

OCT 3 0 2013

PLUGGING PROCEDURE FOR

J. T. A. HAWKINS #8 API # 47-095-00538 ADDENDUM

The well appears to have 1731' of 65/8" casing left in it, along with 1772' of 53/16" casing set on a packer inside the 65/8" casing and both strings are set above the shot hole which is from 1804' to 1814'. After your step 2, you should proceed as follows:

- 3. Release packer and remove 5 3/16" casing, or cut-off/ shoot apart 5 3/16" casing just above packer.
- 4. RIH with 2 3/8" 8 rnd tubing to the top of the cut-off casing or just above the packer, approximately 1775'.
- 5. Mix/Pump 75 sacks Class A Cement, ¼ lb. flocele/sk., 1% Calcium Chloride through the tubing into the shot hole (Plug 1).
 - 6. Pull tubing up to 1000 feet and shut down for the day.
- 7. Lower tubing and tag the top of the cement plug. Mix additional cement to cover the shot hole if necessary.
 - 8. Set 100' Class A cement plug (Plug 2) from 1775' to 1675'.
 - 9. Cut and pull 6 5/8" casing from just above 1675'.
 - 10. Set 100' Class A cement plug (Plug 3) from 952' to 852' (Elevation).
 - 11. Set 200' Class A cement plug (Plug 4) from 200' to surface.
 - 12. Install monument casing so that it is 3' above ground.
- 13. Weld identification plate on monument pipe and fill monument pipe with Class A cement.
 - 14. RDMO service rig and surface equipment.
 - 15. Reclaim well site and lease road.

Note! Mix/pump gel spacers between all cement plugs.

Juvar 006

(Well Information)

ELEV. 902

ELK FORK FIELD

Permit Number: 47-095-0538	Well Name: J.T.A. Hawkins #8
District: Ellsworth	County: Tyler
Date Drilled : October/1897	Total Depth : 1832 Elevation : 886
Producing Zone : Keener	Shot Hole Depth : 1804'-1814'
Casing Depths: 10" 190' P	8 ½" <u>901' P</u> Tubing Depth : 2" <u>1822'</u>
6 5/8" 1731'	6 ¼"
5 3/16" <u>1772'</u>	4 7/8"
Remarks: 5 3/16" Set on H.W. Pack	er
GAS9 Oil @ 1794'	
(-908)	(shot 7 times)

RECEIVED Office of Oil and Gas

OCT 3 0 2013

47-095-00538P

Elen	886					Ti andré			.1958 ELL NO). 8
EASE NO.	743	ACRES	3 114	FARM NA	ME J. F.	and an extended	photo taken and the same	- mary sale	THE STATE OF	Carl Control Control
I. 7 S. Civil District County State GAS Rights Owne	E. Ellswertyler W.Va.		Rig C Dr'g Dr'g	on Made ompleted Commenced Completed Contractor	9-4-97 10-7-97		Purchased Fro Date Purchase Sold To Date Sold Date Abando	ed 3-1	.&R. 43	
IL Rights Owne		MATION	,		4	THE STATE	CASING RE	CORD		
		MATION	Steel Line Meas.	Tests	Size	Bottom Casin Steel Line	g Put in Well Tally Meas.	Pulle Tally M	i eas.	Cemented
. Kind	Тор	Bettom	Meas.		10" 8½" 6-5/8" 2"Tbg. 53/16"(35)		190 981 1731 1822	19 98		Csg.
as	1794 1794				0			D CHOE	c	
11					ti reconstant areas		ACKERS AN	* Depth	-	Date Set
N.					53/16 x67/1 Parmae	ind "X16" 0 HW	Size	175		1-14-52
						vanous (AM)	TORPEDO	RECORD	Caracana and	
100					Date		Qts. Size Shell		Bottom	Results
Total Depth		1832			10-15-97 10-18-97 10-22-97 10-26-97 4-25-98 10-12-96 7-20-00	7	5 10 15 20 30 60 90	1804	1814	* .
	43.						DRILLING	DEEPER	3	
					Commenc	ed Com	pleted Orig		al Depth	Contractor
										0
					-	A	BANDONME	NT REC		
si-					Filled W	7ith	From	To Sir		UG Depth
										1.
Initial Prod.	Sand	★ At Comple	etion 🖈 30 Da	sys After *						
Oil 4	Keener				APPR	OVED				Sup
Gas										

RECEIVED Office of Oil and Gas

OCT 3 0 2013



Select County:	(095) Tyler	•	Select datatypes: [[] (Check All)	
Enter Permit #:	0538		✓ Location	 ▼ Production	Plugging
			✓ Owner/Completion	Stratigraphy	✓ Sample
Get Data	Reset		✓ Pay/Show/Water	V Logs	Btm Hole Loc

Fable Descriptions
County Code Translations
Cernit-Numbering Series
Jeage Notes
Centact Information
Disclaimer
WVGES Main

WV Geological & Economic Survey:

Well: County = 95 Permit = 0538

Report Time: Thursday, February 14, 2013 4:23:22 PM

Location Information: View Map

API COUNTY PERMIT TAX_DISTRICT QUAD_75 QUAD_15 LAT_DD LON_DD UTME UTMN 4709500538 Tyler 538 unknown unknown unknown

There is no Bottom Hole Location data for this well

Owner Information:

API CMP_DT SUFFIX STATUS SURFACE_OWNER WELL_NUM CO_NUM LEASE LEASE_NUM MINERAL_OWN OPERATOR PROP_VD PROP_TRGT_FM 4709500538 -I-I- Original Loc Completed JT A Hawkins 8

There is no Pay data for this well

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

Office of Oil and Gas

CK 27699 WW-4A Revised 6-07

Date: September 19, 2013
 Operator's Well Number
 J.T.A. Hawkins # 8

3) API Well No.: 47 -

095 - 0538

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

	NOTICE 0F	APPLICAŢIO	N TO PLUG AN	D ABANDON A WELL
	er(s) to be served:		(a) Coal Operator	
(a) Name	Ronald D. and Sandra S.	V	Name	N/A
Address	RR 5 Box 343 Chase Lan	е /	Address	
	Moundsville, WV 26041		_	
(b) Name				ner(s) with Declaration
Address			Name	N/A
			Address	West Control of the C
(c) Name			Name	
Address			Address	
6) Inspector	Joe Taylor	1	(c) Coal Less	see with Declaration
Address	497 Claylick Road	02	Name	N/A
	Ripley, WV 25271	71	— Address	
Telephone	(304)380-7469		_	
well it (2) The pl The reason y However, you Take notice t accompanyir Protection, w the Application	s and the plugging work at (surveyor's map) show ou received these documer are not required to take an that under Chapter 22-6 of ag documents for a permit to the respect to the well at the	s order; and wing the well location ats is that you have right at a state of the west virginia Code to plug and abandon a virginia code at location described on a mailed by registered	on on Form WW-6. this regarding the application of the undersigned well of the undersigned well of the order of the attached Application or certified mail or delivered.	sets out the parties involved in the work and describes the ation which are summarized in the instructions on the reverses side. Operator proposes to file or has filed this Notice and Application and Coffice of Oil and Gas, West Virginia Department of Environmental on and depicted on the attached Form WW-6. Copies of this Notice, evered by hand to the person(s) named above (or by publication in
		Well Operator	Triad Hunter LLC	
		By:	Rocky Roberts	Can Corew
		Its:	Senior VP Appalachian	n Operations
		Address	125 Putnam Street	
			Marietta, Ohio 45750	K-950-95
		Telephone	(740)374-2940	a i e i
Subscribed and s	worn before me thi Expires		ay of Story	ELIZABETH R. TEBAY NOTARY PUBLIC Notary Publicin and For The State of Ohio My Commission Expires
		~ ~ ~		「小学製造製をOMEUEIVED
Oil and Gas Privac	y Notice			TE OF OFFICE OF Oil and Gas

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

Environmental Protection



WW-9 Rev. 5/08


	Page 1		of 2
API Number 47 -	. 095	- (0538
Operator's Well N	O. J.T.A. Ha	wkins	# 8

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name_Triad Hunter LLC	
Watershed Elk Fork	OP Code Quadrangle Porters Falls
Elevation 886' (GPS 902') County Tyler	District_Ellsworth
Description of anticipated Pit Waste: _saltwater, oil, gel, a	and freshwater
Will a synthetic liner be used in the pit? yes 20 mc.	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application	1 L LIIC # 2D0055151
Underground Injection (UIC Permit Reuse (at API Number	Number_016 # 200833131
Off Site Dispposal (Supply form WW	/-9 for disposal location)
Other (Explain_	
Proposed Work For Which Pit Will Be Used:	
Drilling	Swabbing
Workover	X Plugging
Other (Explain	
on August 1, 2005, by the Office of Oil and Gas of the West Vir provisions of the permit are enforceable by law. Violations of law or regulation can lead to enforcement action. I certify under penalty of law that I have personally application form and all attachments thereto and that, based	onditions of the GENERAL WATER POLLUTION PERMIT issued ginia Department of Environmental Protection. I understand that the any term or condition of the general permit and/or other applicable examined and am familiar with the information submitted on this on my inquiry of those individuals immediately responsible for
Company Official Signature Pooley Poborts	ue, accurate, and complete. I am aware that there are significant ity of fine or imprisonment.
Company Official Signature Company Official (Typed Name) Rocky Roberts Senior VP Appalachian	ue, accurate, and complete. I am aware that there are significant ity of fine or imprisonment.
Company Official Signature Company Official (Typed Name) Company Official Title Rocky Roberts Company Official Title	n Operations

	LEGEND	
Property Boundary	Diversion William 111111111	
Road = = = = = = = = =	Spring -	
Existing Fence — X — X — X —	Wet Spot	
Planned Fence / / /	Drain Pipe with size in inches	- Œ
Stream	Waterway \longleftrightarrow	\Leftrightarrow
Open Ditch	Cross Drain	1111111
Rock & Se Se	Artificial Filter Strip XXXXXXX	XXXXXXXXXX
North N	Pit: cut walls	L.
Buildings	Pit: compacted fill walls	₹ `
Water wells (W)	Area for Land Application of Pit Waste	三
Drill site		
Proposed Revegetation Treatment: Acres Disturbed One Lime Two (2) Tons/acre or to correct to pH Fertilizer (10-20-20 or equivalent) 600 lbs Mulch 90 - 100 bales / acre Tons/acre	s/acre (500 lbs minimum)	
Mulch1 ons/s	acre	
See	ed Mixtures	
Area I	Area II	
Seed Type lbs/acre	2000 10 No. 10	lbs/acre
Orchard Grass 30%	Orchard Grass	30%
Rye (Annual & BT) 35%	Rye (Annual & BT)	35%
Timothy (Climax) 25%	Timothy (Climax)	25%
Clover (Medium Red) 10%	Clover (Medium Red)	10%
Attach: Drawing(s) of road, location,pit and proposed area for land appropriate section of involved 7.5' topographic sheet. Plan Approved by: Comments:	plication.	
		RECEIVED
_ 1.5	Utilice	of Oil and Gas
Title: Inpour	0	CT 3 0 2013
Field Reviewed? () Yes (
	Environm	epartment of nental Protection



WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

API: 47-095-0538 WELL NO.	.:_8
FARM NAME: J.T.A. Hawkins	
RESPONSIBLE PARTY NAME: Triad Hunter LLC	
COUNTY: TylerDISTRICT:	Ellsworth
QUADRANGLE: Porters Falls	
SURFACE OWNER: Ronald D. and Sandra S.	. Martin
Union National Bank (Trustees) ROYALTY OWNER: S. Austin Smith & C. Burke Morris	
UTM GPS NORTHING: 4375961.1704663	
UTM GPS EASTING: 513036.80999020 GPS ELEV	ATION: 902'
The Responsible Party named above has chosen to submit GPS corpreparing a new well location plat for a plugging permit or assign above well. The Office of Oil and Gas will not accept GPS coordithe following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential Real-Time Differential Mapping Grade GPS: Post Processed Differential	ed API number on the inates that do not meet :: meters, Altitude:
Real-Time Differential	
4. Letter size copy of the topography map showing the I the undersigned, hereby certify this data is correct to the best of belief and shows all the information required by law and the regular prescribed by the Office of Oil and Gas.	my knowledge and EIVED lations issued and Oil and Gas
Signature Geologist Title	WV Date Environmental Protection